



## Specification Sheet SediMax-FR™ (Filtration Roll)

### DESCRIPTION

SediMax-FR™ shall be a machine-produced 100% biodegradable sediment filtration system.

SediMax-FR shall be composed of 70% straw and 30% coconut fiber matrix evenly distributed over the entire area of the bottom netting. The SediMax-FR shall consist of a bottom netting and a 2 ft. (0.61 m) top netting that covers the matrix material on the “splash apron” of the SediMax-FR system. The netting shall be constructed from 100% biodegradable woven natural organic fiber netting. The netting shall consist of machine directional strands formed from two intertwined yarns with cross directional strands interwoven through the twisted machine strands (commonly referred to as a Leno weave) to form an approximate (0.50 x 1.0 inch (1.27 x 2.54 cm) mesh. The blanket shall be sewn together on 1.50 inch (3.81 cm) centers with biodegradable thread.

Each SediMax-FR shall yield a structure 50 linear feet (15.2 m) in length, with an approximate finished diameter of 9 inches (0.23 m). The diameter of the finished structure may be increased to meet individual project specifications by spreading loose straw, pine needles, wood chips, grass clippings, etc. across the width of the SediMax-FR before rolling edge to edge.



### Material Content

<b>Matrix</b>	70% Straw Fiber	1.225 lbs/sy (0.665 kg/sm)
	30% Coconut Fiber	0.525 lbs/sy (0.285 kg/sm)

<b>Netting</b>	Bottom: Leno woven 100% biodegradable natural organic Fiber	9.30 lbs/1000 sf (4.50 kg/ 100 sm)
	Top: 2 ft (0.61 m) strip covering the “splash apron”, Leno weave jute netting	9.30 lbs/1000 sf (4.5 kg/100 sm)

<b>Thread</b>	Biodegradable
---------------	---------------

### Physical Specifications

<b>Width</b>	6.67 ft (2.03 m)
<b>Length</b>	50.00 ft (15.25 m)
<b>Weight +/- 10%</b>	65.00 lbs (29.5 kg)
<b>Stitch Spacing</b>	1.5 in (3.81 cm)
<b>Diameter</b>	9.00 in. (0.23 m)



Western Green  
4609 E. Boonville-New Harmony Rd.  
Evansville, IN 47725

nagreen.com  
800-772-2040

©2019, North American Green is a registered trademark from Western Green. Certain products and/or applications described or illustrated herein are protected under one or more U.S. patents. Other U.S. patents are pending, and certain foreign patents and patent applications may also exist. Trademark rights also apply as indicated herein. Final determination of the suitability of any information or material for the use contemplated, and its manner of use, is the sole responsibility of the user. Printed in the U.S.A.